

Functional Limitations (check all that apply)

- | | |
|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Adaptability to change | <input type="checkbox"/> Ability to meet the public |
| <input type="checkbox"/> Ability to organize work | <input type="checkbox"/> Ability to travel independently and safely |
| <input type="checkbox"/> Abnormal eye movements or eye movements so severe as to functionally cause blindness | <input type="checkbox"/> Abnormal responses to light, sound, touch , smell, taste, movement |
| <input type="checkbox"/> Additional limitations caused by side effects of medication | <input type="checkbox"/> Adjustment to disability |
| <input type="checkbox"/> Adjustment to primary/ secondary sensory loss | <input type="checkbox"/> Allowed SSI/SSDI Beneficiary |
| <input type="checkbox"/> Aggressiveness | <input type="checkbox"/> Anger |
| <input type="checkbox"/> Anxiety | <input type="checkbox"/> Appearing not to understand, empathize with, or to be sensitive to others' feelings |
| <input type="checkbox"/> Attention span | <input type="checkbox"/> Attention to task |
| <input type="checkbox"/> Auditory /visual memory | <input type="checkbox"/> Balancing |
| <input type="checkbox"/> Becoming easily distracted | <input type="checkbox"/> Blurting/Interrupting/Intruding |
| <input type="checkbox"/> Behavioral problems, suspiciousness | <input type="checkbox"/> Bending |
| <input type="checkbox"/> Bowel and bladder, pulmonary, pain | <input type="checkbox"/> Breathing problems |
| <input type="checkbox"/> Co-occurring mental health disorders | <input type="checkbox"/> Chronic pain |
| <input type="checkbox"/> Cognitive problems, lack of concentration | <input type="checkbox"/> Cognitive dysfunction |
| <input type="checkbox"/> Communication skills with other individuals | <input type="checkbox"/> Communication to non-signers |
| <input type="checkbox"/> Complex skills | <input type="checkbox"/> Concentration |
| <input type="checkbox"/> Confusion | <input type="checkbox"/> Constant pain, ranging from a dull ache to severe and debilitating |
| <input type="checkbox"/> Constipation | <input type="checkbox"/> Cooperation |

- Coordination
- Crouching
- Decision Making
- Dependability
- Despair
- Dexterity
- Diarrhea or constipation
- Difficulty choosing a topic of conversation
- Difficulty communicating in groups, meetings, or trainings
- Difficulty responding to sounds or visual cues in environments
- Difficulty understanding verbal and/or written instructions
- difficulty with communicating in noisy environments
- Diminished physical strength and transportation
- Driving
- Driving a vehicle for long periods
- Eligible for/Receives DDA/MHA Long-term Supports
- Endurance
- English as a second language
- Extreme resistance to change
- Crawling
- Dealing with Frequent Change
- Dementia
- Depression
- Development of social skills
- Dialysis schedule interruptions
- Difficulty Breathing
- Difficulty communicating face-to-face with individuals
- Difficulty interpreting body language/ facial expression individuals
- Difficulty Understanding speech
- difficulty with appropriate conversational norms
- Distractibility
- Diminished sensory perception
- Dizziness
- Drowsiness from interrupted sleep patterns
- Employer and peer acceptance
- Engaging in one-sided, long-winded conversations
- Extreme difficulty in learning language
- Extreme Hyperactivity or unusual passivity

- Fainting
- Fatigue frequently resulting from insomnia or sleep disturbances such as apnea
- Finger dexterity
- Flexibility and adapting to change
- Frequent Shifting from one Uncompleted Activity to Another
- Grasping
- Guilt, Grief and loss
- Hopelessness
- Hypersensitivity to heat
- Impaired social interaction
- Inability to carry out previously learned tasks
- Inability to recognize that other people think and feel differently than they do
- Inability to work
- Inaccessible housing and transportation
- increased risk of alcoholism
- Insomnia
- Interpersonal Relations
- Irregular body temperature
- Judgement
- Fatigue
- Fear
- Fine Hand Movements
- Following through on tasks/activities
- Frequent need to use restroom caused by irritable bowel syndrome
- Grooming
- Heavy exertion
- Hyperactivity/Restlessness/Fidgety
- Impulse control
- Impulsivity
- Inability to focus on details
- Inability to understand nonverbal cues, such as facial expressions, or body language, or to understand humor
- Inability to write legibly
- Increased risk of abuse
- increased risk of depression
- Intellectual deterioration
- Interpersonal skills (cooperation, tact and assisting)
- Joint stiffness and swelling
- Jumping

- Kneeling
- Lack of knowledge pertaining to assistive technology
- Lack of support systems
- Limited or no public transportation
- Limits communication for employment outcome
- Limits mobility for employment outcome
- Limits self-direction for an employment outcome
- Limits work tolerance
- Loss of being and value
- Loss of strength
- Low self-care skills, low safety skills
- maturity
- Memory
- Mild to severe headaches, nausea
- Mobility
- Mood and/ or behavior changes
- Nagging scratchy and sore throat
- Night vision deficit
- Numbness and tingling sensations in the extremities
- Lifting
- Lack of positive community supports
- Lack of time perspective
- Limitations to access for independent daily living needs
- Limits interpersonal skills
- Limits self-care for an employment outcome
- Limits work skills
- Logical thinking
- Loss of Social Skills
- Low Frustration Tolerance
- Low self-esteem
- Medication side effects
- Memory, organizational and planning ability, concrete thinking
- Motor Coordination
- Mood and affective disorder
- Mood swings
- Nausea
- Numbness
- Overly Talkative/Verbal

- Overwhelming fatigue that completely destroys one's energy and strength
- Painful period and premenstrual discomfort
- Persistent muscle discomfort and migratory joint pain
- Poor Impulse Control
- Possible low self-worth and/or efficacy
- Problems handling money
- Requires extended period of time for VR services
- Reactions to medications
- Reading skills
- Reduced flexibility and range of motion
- Relational distortions
- Respiratory Problems
- Rigid or Stiff Muscles
- Self-advocacy skills: ADA
- Self-direction
- Sensitivity to changes in temperature, bright lights, odors, and loud sounds
- Speaking in a voice that is monotonous, rigid, or unusually fast
- speech clarity
- Physical conditions related to albinism
- Permanent physical deformities
- Personality changes
- Preoccupation with limitations (adjustment to disability)
- Possible underdeveloped primary language
- Problems with verbal and nonverbal communication
- Range-Of-Motion if joints are affected
- Reading
- Recurrent tension-type headaches and migraines
- Rejection and withdrawal
- Respect for people or property
- Restrictions of mobility
- Shaking (tremors)
- self-confidence/self-image
- Sense of isolation
- Sleep Disorder, wakefulness, or unable to go back to sleep
- Socially disconnected
- Standing

- Spelling
- Stooping
- Susceptibility to infections
- Time management problems
- Tingling
- Tolerance to extreme heat conditions
- Tolerance to long hours without rest/food intake
- Understanding instructions
- Unusual attachment to inanimate objects
- Visual impairments
- Work tolerance
- Stamina
- Strength
- Sustaining Attention
- Tension
- Tolerance to environmental changes
- Tolerance to frustration
- Tolerance to temperature changes
- Unclear/vague communication style
- Upper extremity mobility
- Walking endurance
- Wheelchair independence